




Workshop VstrekyBB
zvolenska cesta 165, Banska Bystrica
info@vstrekybb.sk
0951 929 409



Customer Vstreky BB
-
0951929409
-



6C1Q-9K546-AC

Ford | G2S



Original Database

S/N
old
QR-16
new

01N 56186

F016100FFC000306

CP: G400m

| eRL | | | |
|---------------------------|--|--------------------------|-------|
| STRK Pulse 1000 800 | FL(oC): -- RL(oC): -- PT(oC): -- | 365.0 +/- 200.0 uH [IND] | 359,8 |
| | | [RSP] | 446 |
| | | 0.4 +/- 0.3 Ohm [RES] | 0,5 |

FL(W) : SKIPPED

| LKT.01 | | | |
|-----------------------------|--|--------------------------|-----|
| STRK HP(bar) 1000 200 | FL(oC): -- RL(oC): -- PT(oC): -- | Visual | |
| | | 50.0 +/- 50.0 ml/min [R] | 2,4 |

| LKT.02 | | | |
|------------------------------|--|--------------------------|------|
| STRK HP(bar) 1000 1600 | FL(oC): -- RL(oC): -- PT(oC): -- | Visual | |
| | | 50.0 +/- 50.0 ml/min [R] | 84,2 |

| Warm Up | | | |
|--|--|------------------------------|-------|
| STRK Pulse 820 950 HP(bar) 1200 | FL(oC): -- RL(oC): -- PT(oC): -- | [RSP] | 566 |
| | | 250.0 +/- 250.0 mm3/STRK [D] | 122,1 |

| iVM.01 | | | |
|--|--|----------------------------|-------|
| STRK Pulse 820 950 HP(bar) 1600 | FL(oC): -- RL(oC): -- PT(oC): -- | 76.2 +/- 76.2 mm3/STRK [R] | 118,3 |
| | | [RSP] | 548 |
| | | 59.6 +/- 7.5 mm3/STRK [D] | 58,1 |

| iVM.02 | | | |
|---|--|---------------------------|------|
| STRK Pulse 940 1050 HP(bar) 1350 | FL(oC): -- RL(oC): -- PT(oC): -- | [RSP] | 542 |
| | | 60.1 +/- 7.5 mm3/STRK [D] | 59,5 |



6C1Q-9K546-AC

Ford | G2S



Original Database

S/N

01N 56186

old

QR-16

new

F016100FFC000306

CP: G400m



iVM.03

| | | | | | |
|---------|------|---------|----|-----------------|-----|
| STRK | 2300 | FL(oC): | -- | [RSP] | 545 |
| Pulse | 390 | RL(oC): | -- | 4.5 +/- 3.1 [D] | 5,2 |
| HP(bar) | 1350 | PT(oC): | -- | mm3/STRK | |

iVM.04

| | | | | | |
|---------|------|---------|----|------------------|------|
| STRK | 1000 | FL(oC): | -- | [RSP] | 600 |
| Pulse | 1200 | RL(oC): | -- | 50.3 +/- 7.1 [D] | 47,3 |
| HP(bar) | 800 | PT(oC): | -- | mm3/STRK | |

iVM.05

| | | | | | |
|---------|------|---------|----|-----------------|-----|
| STRK | 2300 | FL(oC): | -- | [RSP] | 613 |
| Pulse | 450 | RL(oC): | -- | 4.4 +/- 4.1 [D] | 3,2 |
| HP(bar) | 800 | PT(oC): | -- | mm3/STRK | |

iVM.06

| | | | | | |
|---------|------|---------|----|-----------------|-----|
| STRK | 2300 | FL(oC): | -- | [RSP] | 784 |
| Pulse | 700 | RL(oC): | -- | 5.8 +/- 4.1 [D] | 3,8 |
| HP(bar) | 350 | PT(oC): | -- | mm3/STRK | |

RSP

| | | | | | |
|---------|------|---------|----|-----------------------|-----|
| STRK | 1340 | FL(oC): | -- | [RSP] | 598 |
| Pulse | 750 | RL(oC): | -- | 562.5 +/- 237.5 [RSP] | 598 |
| HP(bar) | 850 | PT(oC): | -- | usec | |

aNOP

| | | | | | |
|---------|------|---------|----|----------------------|-----|
| STRK | 1340 | FL(oC): | -- | [RSP] | 598 |
| Pulse | 750 | RL(oC): | -- | 145.0 +/- 85.0 [NOP] | 178 |
| HP(bar) | 850 | PT(oC): | -- | bar | |



CP: G400m

6C1Q-9K546-AC

Ford | G2S



**Original
Database**

S/N 01N 56186

old

QR-16

new

F016100FFC000306

